ASTRONOMY AND ASTROPHYSICS

A European Journal

Volume 147 1985

Published by Springer International on behalf of the Board of Directors

Astronomy and Astrophysics A European Journal

Board of Directors

Chairman: G. Contopoulos
(Greece)

Vice Chairman: B. Hauck
(Switzerland)

H. Haupt
(Austria)

A. G. Hearn
(The Netherlands)

K. Hunger
(Germany, Federal Republic)

E. Jensen
(Norway)

J. Lequeux
(France)

W. Priester
(Germany, Federal Republic)

A. Reiz
(Denmark)

E. Schatzman
(France)

G. Setti
(Italy)

P. Smeyers
(Belgium)

L. Woltjer
(ESO)

Editors-in-Chief

C. Cesarsky
Observatoire de Meudon
92 195 Meudon Principal Cedex
(France)
Tel. (33-1) 5 34-75-30 ext 3 68
Telex (42) 270 912
obsastr meudon

M. Grewing
Astronomy and Astrophysics
Editorial Office
Keplerstrasse 17
7400 Tübingen
(Fed. Rep. of Germany)
Tel. (49-70 71) 29 49 82
Telex (41) 7 262 714 ait d

Letter-Editor

S. R. Pottasch
Kapteyn Astronomical Institute
P. O. Box 800
9700 AV Groningen
(The Netherlands)
Tel. (31-50) 11 66 43
Telex (44) 53 572 stars nl

Editing Secretaries

Miss B. Perche
Mrs. M. Rougeot

Ms. G. Meissner

Ms. L. Flipse

The exclusive copyright © for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, is vested in European Southern Observatory (ESO).
The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer International
Printed in Germany
Printers: Brühlsche Universitätsdruckerei, Gießen

Volume 147 1985

Contents

Letters to the Editor

Spectroscopic observations of the Horsehead Nebula
Neckel, T., Sarcander, M. L1

XB 1905+000: the most distant optically identified X-ray burster?
Chevalier, C., Ilovaisky, S.A., Charles, P.A. L3

Radio continuum and far-infrared emission from spiral galaxies: a close correlation
de Jong, T., Klein, U., Wielebinski, R., Wunderlich, E. L6

The shortest time scales present in solar hard X-ray bursts
Brown, J.C., Loran, J.M., MacKinnon, A.L. L10

The short wide angle tail radio source in NGC 4874
Feretti, L., Giovannini, G. L13

Dynamics of the bulge of the lenticular galaxy NGC 7814
Bacon, R. L16

The discovery of a new masering transition of interstellar methanol
Wilson, T.L., Walmsley, C.M., Menten, K.M., Hermsen, W. L19

The compact radio source near G357.7–0.1
Shaver, P.A., Pottasch, S.R., Salter, C.J., Patnaik, A.R., van Gorkom, J.H., Hunt, G.C. L23

Detection of interstellar CCD
Combes, F., Boulanger, F., Encrenaz, P.J., Gerin, M., Bogey, M., Demuynck, C., Destombes, J.L. L25

NGC 6212: an elliptical galaxy with a highly active nucleus
Biermann, P., Strom, R., Bartel, N. L27

Extragalactic astronomy

Orientation effects and the reddening of the lines and continua of Seyfert galaxies
De Zotti, G., Gaskell, C.M. 1

Non-thermal models of the X-ray emission in Seyfert galaxies: the case of NGC 4151
Piro, L., Perola, G.C., Massaro, E. 22

Similar structures in the outbursts of OJ 287 in 1972 and 1983
Sillanpää, A., Teerikorpi, P., Haarala, S., Korhonen, T., Efimov, Y.S., Shakhovskoy, N.M. 67

The structure of the elliptical galaxy IC 4296
Younis, S., Meaburn, J., Stewart, P. 178

Peculiar motions and star formation in the interacting galaxy complex Mk 171=NGC 3690+IC 694
Augarde, R., Lequeux, J. 273

The wide angle tailed radio source NGC 2329 in the cluster A 569
Feretti, L., Giovannini, G., Gregorini, L., Padrielli, L., Roland, J., Valentijn, E.A. 321

(RN) Electron temperatures of astrophysical plasmas from the [O III] line ratio
Aldrovandi, S.M.V., Gruenwald, R.B. 331

Galactic structure and dynamics

Linear oscillations of isotropic stellar systems. II. Radial modes of energy-truncated models
Sobouti, Y. 61

Stellar clusters and associations

Metallicities and distances of galactic clusters as determined from *UBV*-data. II. The metallicities and distances of 38 open clusters
Cameron, L.M. 39

Metallicities and distances of galactic clusters as determined from *UBV*-data. III. Ages and abundance gradients of open clusters
Cameron, L.M. 47

Deep photometry of globular clusters. V. Age derivations and their implications for galactic evolution
Gratton, R.G. 169

CO band strengths for giants in galactic globular clusters. Are they related to the second parameter problem?
Caputo, F. 317

Formation, structure and evolution of stars

Equilibrium structures of rotating isothermal gas clouds. II. Dependence on the angular momentum distribution
Hachisu, I., Eriguchi, Y. 13

Period changes in β CMa Stars
Chapellier, E. 135

Equilibrium models of differentially rotating polytropes and the collapse of rotating stellar cores
Eriguchi, Y., Müller, E. 161

Optically thick radial accretion onto main sequence stars and degenerate dwarfs
Tylenda, R. 197

Anomalous magnetic field diffusion during star formation
Norman, C., Heyvaerts, J. 247

Vibrational instability of Wolf-Rayet stars
Maeder, A. 300

Stellar atmospheres

A study of ultraviolet spectra of ζ Aurigae/VV Cephei systems. VII. Chromospheric density distribution and wind acceleration region
Schröder, K.-P. 103

Narrow band polarimetry of a sample of cool giants and supergiants
Schwarz, H.E. 111

Temporal variations in UV spectra of the red giant C star, TW Hor
Querci, M., Querci, F. 121

(RN) Depolarization of emission of some pulsars
Gil, J., Rudnicki, W. 184

Erratum: Early-type stars in OB associations in the infrared. II. A discussion of density and temperature distributions in stellar winds
Bertout, C., Leitherer, C., Stahl, O., Wolf, B. 186

Magnetic structure in cool stars. VIII. The Mg II h and k surface fluxes in relation to the Mt. Wilson photometric Ca II H and K measurements
Oranje, B.J., Zwaan, C. 265

The reflection effect in model stellar atmospheres. I. Grey atmospheres with convection
Vaz, L.P.R., Nordlund, Å. 281

Time variations of the SiO (v=0, J=2 – 1) emission from circumstellar shells
Nyman, L.-Å., Olofsson, H. 309

(RN) Discovery of flare activity in G 119–62
Pettersen, B.R. 328

Erratum: A tentative interpretation of the cyclotron line energy variation in Her X-1
Prantzos, N., Durouchoux, P. 335

Diffuse matter in space (including H II regions and planetary nebulae)

Total synthesis of interstellar chemical compounds by high energy molecular beam bombardment on pure graphite
Devienne, F.M., Teisseire, M. 54

Resonance lines in dusty gaseous nebulae
Wehrse, R., Kalkofen, W. 71

VLA continuum observations of compact H II regions
Woodward, C.E., Helfer, H.L., Pipher, J.L. 84

The abundance of oxygen in the interstellar medium
Keenan, F.P., Hibbert, A., Dufton, P.L. 89

Antiprotons from thick cosmic-ray sources
Lagage, P.O., Cesarsky, C.J. 127

Molecular lines in IRC+10°210 and CIT 6
Henkel, C., Matthews, H.E., Morris, M., Terebey, S., Fich, M. 143

On cloud shadows in wide beam scans of the diffuse soft X-ray sky
Knude, J. 155

Interstellar reddening law towards the nucleus of h Per
Franco, M.L., Magazzù, A., Stalio, R. 191

Two-dimensional models of stellar wind bubbles. II. Variable mass-loss rates and the possibility of outer-shell fragmentation in relation to the origin of interstellar bullets
Różyczka, M., Tenorio-Tagle, G. 202

Two-dimensional models of stellar wind bubbles. III. Self-confining flows in media with strong density gradients
Różyczka, M., Tenorio-Tagle, G. 209

Two-dimensional models of stellar wind bubbles. IV. Properties of bow shocks around dense clumps in free wind regions
Różyczka, M., Tenorio-Tagle, G. 220

Radio recombination lines from the galactic plane in Cygnus
Barcia, A., Gómez-González, J., Lockman, F.J., Planesas, P. 237

On the existence and role of magnetic fields in planetary nebulae (Text in French)
Pascoli, G. 257

The Sun

The Evershed flow as a steady-state homogeneous phenomenon
Dialetis, D., Mein, P., Alissandrakis, C.E. 93

The solar system

New cases of ambiguity among large asteroids' spin rates
Zappalà, V., Di Martino, M., Hanslmeier, A., Schober, H.J. 35

Analysis of the orbits of Titan, Hyperion, and Iapetus by numerical integration and by analytical theories
Sinclair, A.T., Taylor, D.B. 241

Physical and chemical processes

CRESU study of the reaction $N^+ + H_2 \rightarrow NH^+ + H$ between 8 and 70 K and interstellar chemistry implications
Marquette, J.B., Rowe, B.R., Dupeyrat, G., Roueff, E. 115

Instruments, data processing, and computational methods

Astrometric and photometric estimators for TYCHO photon counts
Yoshizawa, M., Andreasen, G.K., Høg, E. 227

Abstracts of articles which have been published in A. & A. Suppl. Ser. 60, No. 3

A study of visual double stars with early type primaries. IV. Astrophysical data
Lindroos, K.P. 187

Atlas of dwarf galaxies in the region of M81 group
Karachentseva, V.E., Karachentsev, I.D., Börngen, F. 187

CCD based *B* and *V* lightcurves for the eclipsing binary NJL 5 in Omega Centauri
Jensen, K.S., Jørgensen, H.E. 187

New double stars (19th series) discovered at Nice
Couteau, P. 187

Measurements of double stars at Nice with 74 and 50 cm refractors
Couteau, P. 188

Morphology of spiral galaxies. I. General properties
Grosbøl, P.J. 188

A Lie integrator program and test for the elliptic restricted three body problem
Delva, M. 188

Systematic errors in Zwicky's magnitudes
Fasano, G. 188

A radio continuum survey of Sbc spiral galaxies at 1.465 GHz
Hummel, E., Pedlar, A., van der Hulst, J.M., Davies, R.D. 189

Photographic observations of visual double stars
van Albada-van Dien, E. 189

Oscillator strengths for C III lines
Nasser, R.M., Varshni, Y.P. 189

Orbital elements for fifteen visual binaries
Baize, P. 189

A finding list for the multiplet tables of NSRDS-NBS 3, Sections 1–10
Adelman, C.J., Adelman, S.J., Fischel, D., Warren, W.H. Jr. 189

A useful list of redshift calibrators
Tanzella-Nitti, G., Fontanelli, P. 190

UBV photometric observations of TT Aurigae
Wachmann, A.A. 190

Erratum: Evidence of decay of the magnetic fields of Ap stars
North, P., Cramer, N. 190

Radial velocities for 28 southern young open clusters
Hron, J., Maitzen, H.M., Moffat, A.F.J., Schmidt-Kaler, Th., Vogt, N. 336

Observed and computed spectral flux distribution of non-supergiant O9-G8 stars. III. Determination of $T_{\rm eff}$ for the stars in the Breger Catalogue
Morossi, C., Malagnini, M.L. 336

The ultraviolet spectrum of the Be star HD 50138
Hutsemékers, D. 336

Two-colour photometry and analysis of the eclipsing binary IM Aurigae
Gülmen, Ö., Sezer, C., Güdür, N. 336

VBLUW-photometry of stars in small fields around 13 planetary nebulae
Gathier, R. 337

An updated evaluation of recombination and ionization rates
Arnaud, M., Rothenflug, R. 337

Four-colour and Hβ photometry of blue stars selected from a balloon-ultraviolet survey and other sources
Tobin, W. 337

Linear and quadratic limb-darkening coefficients for a large grid of LTE model atmospheres
Wade, R.A., Rucinski, S.M. 337

Micrometric observations of visual double stars
Massone, G. 338

Galactic structure photoelectric standards
Stobie, R.S., Gilmore, G., Reid, N. 338

CCD stellar sequences in galactic structure fields
Stobie, R.S., Sagar, R., Gilmore, G. 338

Supplement to the detailed bibliography on the surface photometry of galaxies
Pence, W.D., Davoust, E. 338